

In the Claims

Please amend the Claims as follows (a marked-up version of the claim amendments is attached hereto):

Claim 15 (Amended) A lateral-view mirror assembly for a vehicle comprising, in combination:

a vehicle; and

at least one substantially triangular base portion having a first side dimensioned to be adhered along a length thereof to a side rear side portion of said vehicle;

at least one lateral-view mirror coupled to [a side rear portion of said vehicle] a second side of said at least one substantially triangular base portion in a line of sight with a side-view mirror of said vehicle [and dimensioned to allow a driver to view objects positioned lateral to a rear portion of said vehicle by looking at said side mirror and seeing a reflection of said objects through said lateral-view mirror]; and

[wherein said at least one lateral-view mirror is coupled to said driver's side rear side portion of said vehicle;]

[a second lateral-view mirror coupled to a passenger side of said vehicle proximate said rear portion of said vehicle in line of sight with a side mirror of said vehicle on said passenger side; and]

a substantially flat mirror adapted to be coupled to a surface of said side-view mirror [on said passenger side] of said vehicle and dimensioned to allow a driver to view objects positioned lateral to a rear portion of said vehicle by looking at said substantially flat mirror on said surface of said side-

view mirror and seeing a reflection of said objects through said
at least one lateral-view mirror.

Please add the following new Claim:

21. A lateral-view mirror assembly for a vehicle comprising, in combination:

a vehicle; and

a first substantially triangular base portion having a first side dimensioned to be adhered along a length thereof to a driver's side rear side portion of said vehicle;

a first lateral-view mirror coupled to a second side of said first substantially triangular base portion in a line of sight with a driver's side side-view mirror of said vehicle;

a second substantially triangular base portion having a first side dimensioned to be adhered along a length thereof to a passenger's side rear side portion of said vehicle;

a second lateral-view mirror coupled to a second side of said second substantially triangular base portion in a line of sight with a passenger's side side-view mirror of said vehicle; and

at least one substantially flat mirror adapted to be coupled to a surface of at least one of said driver's side side-view mirror and passenger's side side-view mirror and dimensioned to allow a driver to view objects positioned lateral to a rear portion of said vehicle by looking at said substantially flat mirror and seeing a reflection of said objects through at least one of said first lateral-view mirror and said second lateral-view mirror.